



Quality Chemicals
with
excellent performance

APEX CHEMICALS

APEX-120 METAL BRITE HD

APEX-120 METAL BRITE HD is an excellent Tank Cleaner for removing: Oxides, Chlorides, Nitrates, Amides, Amines and other salts.

- Exceptionally useful for removing the white powders appearing after loading Vegetable and Fatty Acid oil additives
- Removes lime deposits that can occur after hot seawater washing
- Cleans & brightens aluminium and copper
- Forms protective coating on treated surfaces
- Biodegradable, non-flammable.

This information is not to be taken as a warranty or representation for which we assume legal responsibility, nor as a permission, inducement, or recommendation to practice any patented invention without a license. The information is offered solely for your consideration, investigation and verification.



IMO APPROVED
TANK CLEANER

DESCRIPTION

APEX-120 Metal Brite HD is a mild acidic liquid cleaner containing phosphoric acid, wetting and penetrating agents, which is miscible with water in all proportions. It contains a biodegradable surfactant and penetrating agent which easily penetrates oxide deposits and oily films on metal surfaces.

APPLICATIONS

Suitable to remove oxides, chlorides, nitrates, amides, amines and other salts, neutral and alkaline contaminations like calcium chloride, calcium nitrate, ammonium nitrate, alkenylamide, alkenylamideoleylamine, calcium carbonate, etc.

APEX-120 Metal Brite HD is suitable for removing lime deposits after hot seawater washes. Above residues are most common after loading many cargos included in ANNEX II - IMO Guide lines for tank cleaning.

DIRECTIONS FOR USE

TANK CLEANING

1. Mix solutions of APEX-120 Metal Brite HD either in Tank bottom or void space.
2. Dilution rate with water between 4 % and 10 %, depending upon light or heavy contamination. Recent experience has shown that a 8 % - 8.5 % solution secures successful cleaning.
3. Do not use the entire quantity of APEX-120 Metal Brite HD in one solution for all tanks to be cleaned.
4. It is recommended to use 2 – 3 drums of APEX-120 Metal Brite HD for cleaning the last 25% of the tanks.
5. The solution may be used at an ambient temperature, however it is suggested that increasing the cleaning temperature to 60 °C will enhance the cleaning ability and shorten the cleaning time.
6. Proceed to recycle the cleaning solution through the tank washing system for a period of two hours minimum per machine drop. Usually a cleaning time of 4 hours per tank will prove sufficient.
7. Upon completion of chemical application, begin wash down with water, using maximum pressure available.
8. Inspect tank surfaces and if there are remaining stains, spot clean with undiluted Metal Brite HD directly on the stained area. Allow a reaction time of 30 minutes and rinse off with fresh water.



APEX CHEMICALS (S) PTE LTD

132 Tuas South Avenue 2, Singapore 637171
Tel: +65 6483 5350 Fax: +65 6483 5359
E-mail: apexchem@singnet.com.sg
URL: www.apex-chemicals.com



CERT. NO. QSP00009