

SODIUM METABISULPHITE

38 - 40% CONS

SODIUM METABISULPHITE

38 - 40% CONS

- Effectively remove or neutralise chlorine
- Designed to be used on Electro chlorination or chemical chlorination type of BWM system
- Liquid form

PRODUCT DESCRIPTION:

SODIUM METABISULPHITE 38 – 40% CONS is a bisulphite based liquid product designed to be used for Electro chlorination or chemical chlorination ballast water management system to neutralize the Total Residual Oxidant (TRO) or Total Chlorine before deballast.

APPLICATION:

Neutralisation / De-chlorination

Dosage: 4ml/m³ of solution for each 1ppm of free chlorine in the water to be treated. Application should follow BWM system manufacturer instruction manual.

CAUTION

Keep away from heat and direct sunlight as the potential for release of sulphur dioxide fumes exists. Protect solutions from freezing.

PHYSICAL PROPERTIES

Appearance	: Colourless to yellow
Purity as Na ₂ S ₂ O ₅	: 38 – 42%
Relative Density	: 1.0 – 1.1
Form	: Liquid
pH	: 4.0 – 5.0

Important information:

Apex chemicals Safety Data Sheets are available. Safety Data Sheets contain health and safety information for proper products handling procedures to protect your employees. Our Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using.

To the best of our knowledge, the information contained herein is believed to be accurate and reliable. It is the user's obligation to evaluate and use this product safely and comply with all applicable laws and regulations. The above-named supplier and its vendor make no other warranty or representations of any kind or implied, concerning the product including no implied warranty of merchantability. The product is offered solely for your consideration, investigation and verification. No license or immunity under any patents is granted or implied.